

CP-DNW-HP8H2-96-V2

8 Port PoE Switch with 2 Uplink Port

- 8 port, 100Mbps, RJ45 ports; 30W Max. Output of Single PoE Port
- Support IEEE802.3i/802.3u/802.3x
- 2 Uplink port, 100Mbps with Transmission distance of 0-100m
- Easy and safe installation



System Overview

As most of the CP PLUS products have been integrated with the Power of Ethernet technology which makes troubleshooting easier in case any errors occur. This can be done with the help of a PoE Switch makes increases reliability rapidly.

Functions

Better Connectivity

This PoE Switch has designed for outstanding power with flexible placement for better and advanced connectivity between network devices.



CP-DNW-HP8H2-96-V2

8 Port PoE Switch with 2 Uplink Port

Functions

Switching Performance

This PoE Switch offers the forwarding capacity to simultaneously process traffic on all ports at line rate without any packet loss.

RJ45 Connector

The Registered Jack 45 is the ubiquitous ethernet style data port that is found on switches, routers, and network cards. The RJ45 style connectors and ports are so commonly used that they have become the primary type of port to be used for ethernet networking. It looks similar to a telephone jack, but is slightly wider.

Easy to Use

This PoE Switch is quite easy to install and use. It requires no configuration and installation. With outstanding performance and quality, this PoE Switch is a great selection for expanding your home or workplace network.

Supports Full Duplex Mode

The duplex mode makes this Ethernet Switch capable of sending and receiving information at the same time, enabling bi-directional network data transmissions to save time and money.

About CP PLUS

The brand that is on its way to lead the world when it comes to the security and surveillance industry, CP PLUS, keeps bombarding the market with the most reliable range of products that have been designed carefully and methodically to automate the whole surveillance and security process, no matter how big your premises are.

It was the initiative to help the public in the area where they are the most vulnerable and to empower the sense of safety in our hearts that had conceptualized CP PLUS. And embarking on its mission to make the world a safer and more secure place has taken the brand's journey to unprecedented levels even when compared to international competitors.



CP-DNW-HP8H2-96-V2

8 Port PoE Switch with 2 Uplink Port

Feature	Specification
Network Ports	10 (8+2) Port
PoE Ports	8 Port with 100Mbps, RJ45 ports, 30W Max. Output of a Single PoE Port with Transmission Distance of 0 –250m
Uplink Ports	2 Uplink Port, 100Mbps with Transmission Distance of 0-100m
Switch Capacity	2 Gbps Full duplex
Packet Forwarding Rate	0.1488 Mpps/Port
Network Standard	IEEE802.3i/802.3u/802.3x
PoE Standard	IEEE802.3af, IEEE802.3at
PoE Feature	All ports support MDI/MDIX
MAC Address List	2K
Transmission Distance	0-100m/100Mbps, Max. 250m/10Mbps via Cat.5e or more under Extend mode
PoE watchdog	Yes
LEDs Indicator	Light On - Powering, Light Off - No Power
Ethernet Port Light	Green Light (Quick Flash- Data Transmitting, Slow Flash- Searching For Device), Red Light- Powering but data disconnected
SW (DIP Indicator)	Light on - VLAN/Extended mode, Light Off - Normal Mode
PoE Power Supply	1/2(+), 3/6(-)
PoE Power Budget	96W
Extended Mode	Yes
VLAN	Yes
ESD Protection	Contact Discharge 1.5KV / Air Discharge 1.5KV
Forwarding Mode	Store-and-forward
Anti-thunder Level	Common mode: 2KV, Differential mode: 1.5KV
ESD	Contact Discharge 1.5KV / Air Discharge Level 1.5KV
Operating Temperature	-10°C ~ 50°C
Storage Temperature	-40°C ~ 70°C

Feature	Specification
Humidity	10%-95% , non-condensing
Power Consumption	<5W
Power Source	Built-in Power Supply, Input: 100-264V AC, 50/60Hz
Dimensions	202mm x 140mm x 45mm
Color	Black
Weight	0.8kg (without Cable & Packaging)

Company Name:

CP PLUS (Aditya Infotech Ltd.)

F-28 Okhla Industrial Area, Phase 1,

New Delhi 110020, INDIA

Contact Mail ID :- customercare@cpplusworld.com

