

CP-DNW-GPU4G2-48

6 Ports Switch with 4 Gigabit PoE Ports & 2 Gigabit Uplink Ports

- 4, 1000Mbps; RJ45 ports; Max. 30W Output of Single PoE Port
- Support IEEE802.3i/802.3u/802.3x/802.3ab
- Uplink Port: 2, 1000Mbps; Transmission Distance: 0-100m
- PoE Power Budget: 48W



System Overview

As most of the CP PLUS products have been integrated with the Power of Ethernet technology which makes troubleshooting easier in case any errors occur. This can be done with the help of a PoE Switch makes increases reliability rapidly.

Functions

Better Connectivity

This PoE Switch has designed for outstanding power with flexible placement for better and advanced connectivity between network devices.



CP-DNW-GPU4G2-48

6 Ports Switch with 4 Gigabit PoE Ports & 2 Gigabit Uplink Ports

Functions

Switching Performance

This PoE Switch offers the forwarding capacity to simultaneously process traffic on all ports at line rate without any packet loss.

Easy to Use

This PoE Switch is quite easy to install and use. It requires no configuration and installation. With outstanding performance and quality, the CP-DNW-HPU8G2-96 PoE Switch is a great selection for expanding your home or workplace network.

LED Indicator

LED lights have been installed in this Ethernet Switch to work as indicators for you to realize simple work statement reminders and clear the troubles.

Supports Full Duplex Mode

The duplex mode makes this Ethernet Switch capable of sending and receiving information at the same time, enabling bi-directional network data transmissions to save time and money.

About CP PLUS

The brand that is on its way to lead the world when it comes to the security and surveillance industry, CP PLUS, keeps bombarding the market with the most reliable range of products that have been designed carefully and methodically to automate the whole surveillance and security process, no matter how big your premises are.

It was the initiative to help the public in the area where they are the most vulnerable and to empower the sense of safety in our hearts that had conceptualized CP PLUS. And embarking on its mission to make the world a safer and more secure place has taken the brand's journey to unprecedented levels even when compared to international competitors.



CP-DNW-GPU4G2-48

6 Ports Switch with 4 Gigabit PoE Ports & 2 Gigabit Uplink Ports

Feature	Specification
Uplink Ports	2, 1000Mbps; Transmission Distance: 0-100m
Network Standard	IEEE802.3i/802.3u/802.3x/802.3ab
Switch Capacity	12 Gbps Full duplex
Packet Forwarding Rate	1.488Mpps/port
PoE Ports	4, 1000Mbps; RJ45 ports; Max. 30W Output of Single PoE Port Transmission distance:0~100m
Network Ports	6
MAC Address Table	2K
Transmission Distance	0-100m/100Mbps
PoE Standard	IEEE802.3af, IEEE802.3at
PoE Power Supply	1/2(+), 3/6(-)
PoE Power Budget	48W
PoE Feature	All ports support MDI/MDIX
VLAN	Support
Watchdog	Support
Power Indicator	Light on: Powering Light off: No Power
VLAN Indicator	Green light on: VLAN mode Light off: normal mode
Port 1-10 indicator	Light off: Link is disconnected Red light on: Powering but data disconnected Light flash quickly: Data Transmitting
Forwarding Mode	Store-and-forward

Feature	Specification
ESD	Air discharge: 1.5KV Contact discharge: 1.5KV
Anti-Thunder Level	Common mode: 2KV Differential mode: 2KV
Power Source	Built-in Power Supply, Input: 110-264V AC, 50/60Hz
Power Consumption	<5W
Operating Temperature	-10°C 50°C
Storage Temperature	-40°C~70°C
Humidity	10%-95%, non-condensing
Color	Black
Dimensions	202mm x 140mm x 45mm (L x W x H)
Weight	0.7Kg (not include input cable & packaging)